

## Dräger PSS 3000 Self-Contained Breathing Apparatus

Breathe Easy.

Dräger PSS 3000 – This innovative, easy-to-use breathing apparatus will give you the peace of mind to focus on the task at hand.



D-38983-2011

Dräger, one of the world's largest and most innovative SCBA manufacturers, has an exciting new SCBA: the PSS 3000. It is ideal for plant maintenance, plant and operational safety, and even emergency response because it offers flame-retardant materials.

### **EASY TO MAINTAIN**

The PSS 3000 can help you reduce downtime and increase productivity. Easy assembly and disassembly, as well as non-absorbent, chemical-resistant materials make cleaning and maintaining the PSS 3000 quick and easy. The PSS 3000 harness is 18 times less absorbent than traditional materials.

### **DURABLE COMPONENTS YOU CAN COUNT ON**

Strong, durable harness materials, a carbon composite space frame, and the same pneumatics as found in the class-leading PSS 7000 ensure that workers can count on the PSS 3000 when they need it. The harness scores five times better than traditional materials on the Martindale test for durability.

### **IMPROVED WEARING COMFORT**

Dräger utilized state-of-the-art pressure mapping technology to improve stability and reduce back strain, stress, and fatigue. We also reduced the weight the wearer must carry by using a carbon composite space frame and non-metallic buckles. As a result, the PSS 3000 is .44 pounds lighter than its predecessor. The contoured carrying harness provides maximum comfort at both the shoulders and the waist and optimizes load distribution.

### **MINIMIZED COST OF OWNERSHIP**

Because the PSS 3000 saves maintenance time, uses no electronics and has a durable space frame and harness, the cost of keeping the apparatus functioning throughout its lifetime is minimal.




D-38984-2011

Dräger PSS 3000

# Maximum comfort

## DRÄGER PSS 3000



## Options for every eventuality

- Compatible with Dräger Panorama Nova and FPS 7000 Full Face Masks
- Electronic voice communication options
- Aluminum or carbon composite cylinders

# Minimal cost of ownership

ST-4001-2005



FPS 7000 full face mask range

D-39886-2011



Cylinder range

## TECHNICAL DATA

### Physical Specifications

Dimensions (H x W x D)	23.2 x 11.4 x 6.3 inches (59 x 29 x 16 cm)
Weight (including LDV)	5.95 lb. (2.70 kg)
Input Pressure	0-4500 PSI
Nominal 1 <sup>st</sup> Stage Output Pressure	87-130 PSI
1 <sup>st</sup> Stage Output Flow	>1000 L/min
LDV Output Flow	>400 L/min
Whistle Activation Pressure	554 PSI, 1125 PSI
Whistle Sound Level	>90 dBA
Approvals	NIOSH

### ORDERING INFORMATION

PSS 3000 NIOSH 4500 PSI	4046196
PSS 3000 NIOSH 2216 PSI	4046195
FPS 7000 Face Mask	on request
Panorama Nova Face Mask	on request

### Accessories

LDV Holder	3357527
Dräger Cylinders	on request



**HEADQUARTERS**

Dräger Safety AG & Co. KGaA  
Revalstrasse 1  
23560 Lübeck, Germany

[www.draeger.com](http://www.draeger.com)

**SUBSIDIARIES**

**CANADA**

Dräger Canada Ltd.  
7555 Danbro Crescent  
Mississauga,  
Ontario L5N 6P9  
Tel +1 905 821-8988  
Fax +1 905 821-2565

Customer Service  
Tel 877 372 4371  
Fax 800 329 8823

**MEXICO**

Dräger Safety S.A. de C.V.  
Carretera San Luis Potosi Km 21  
Bodega No. 1 y 2  
"Condominio Industrial  
Santa Rosa Bloque SMED"  
Querétaro  
Oro México CP 72220  
Tel +52 442 246-1113  
Fax +52 442 246-1114

**USA**

Dräger Safety, Inc.  
101 Technology Drive  
Pittsburgh, PA 15275  
Tel +1 412 787-8383  
Fax +1 412 787-2207

Customer Service  
Tel 800 858 1737  
Fax 800 922 5519

Technical Service  
Tel 888 794 3806  
Fax 888 794 3807